

ADVANTIGRO®

ADVANTIGRO is the advantage growers need! With a blend of three plant growth regulators, ADVANTIGRO improves seed emergence, plant vigor and function, and plant resilience under harsh, early season conditions. ADVANTIGRO has a refined, reliable formulation for bottle stability and longer shelf life over other products. Apply ADVANTIGRO in-furrow with fertilizers or in-season as a foliar spray to give your yield an advantage.

Features:


- Optimized blend of three powerful plant growth regulators
- Labeled for in-furrow and foliar applications
- High quality and versatile formulation

Benefits:

- Improves seed germination time, promotes bigger root mass and promotes early-season plant vigor
- Application flexibility at any time of the crop cycle
- Longer shelf life than similar products

Focus Crops:

- Alfalfa, Corn, Cotton, Cucurbits and Soybeans



Shoot mass is average g/plant for 5 plants collected from each plot. Plants collected 10 days after emergence.

Treatments contain 10-34-0 @ 5 gal/A

Variety: DKC61-79RIB

Location: Richland, IA



Application Considerations

ADVANTIGRO is soluble in water and can also be mixed directly into many liquid fertilizers for use in-furrow at planting. ADVANTIGRO can also be mixed as a foliar spray. All possible combinations of fertilizers, pesticides and/or other agricultural tank mix partners have not been evaluated.



APPLICATION INSTRUCTIONS

- Apply ADVANTIGRO by ground or by air.

Crop	No. of Applications	In-Furrow (fl oz)	Banded (fl oz)	Broadcast/Foliar (fl oz)	Application Timing for Branded & Broadcast / Foliar Sprays
Corn	1	2-8	5	6-8	2-6 leaf state
	1		4	8	Apply during flowering from initiation of flowering to end of bloom stage.
Cotton	3-4		3	4	Make first application at 3-5 leaf stage. Repeat applications can be made on 7-10 day intervals.
	2-3		3	4	Make first application at early bloom. Repeat applications can be made on 7-14 day intervals.
Cucumbers	1	2-8	4	8	Make application between flower bud initiation and first bloom.
	2-3		3	4	Make first application between flower bud initiation and first bloom. Repeat applications can be made on 7-10 day intervals.
	3-4		3	4	Direct Seeded: First application at 3-4 leaf stage. Repeat applications can be made on 7-10 day intervals.

For in-furrow applications, apply at planting in the seed furrow or two inches beside and two inches below seed or with a strip till machine 3 inches below the seed. ADVANTIGRO can be applied with or without fertilizers, pesticides or other agricultural products.

For chemigation applications, see label for details.

THIS IS NOT A LABEL. ALWAYS READ AND FOLLOW LABEL INSTRUCTIONS.

