




▶ **WILBUR-ELLIS**
CALIFORNIA
VITICULTURE

THE POWER OF WE[®]



WILBUR-ELLIS.

DOWNLOAD
THE
WILBUR-ELLIS
CALIFORNIA
VITICULTURE
TOOLKIT



BRANDED NUTRITIONALS

For product labels, bulletins and SDS visit wilburellisagribusiness.com



Product Name	N	P	K	Ca	Mg	S	B	Cu	Fe	Mn	Mo	Zn	Salt-Out	Density #/Gal	Comments	Preferred Application Method	pH	Physical State	Organic
BENVIREO®																			
BenVireo Botanic® 8-0-0	8												<40° F	10.22	Liquid Amino Acid Nitrogen	Foliar	6.9	Liquid	Yes
BenVireo Botanic Dry 16-0-0	16												N/A	N/A	Soluble Amino Acid Nitrogen	Foliar, Irrigate, Soil	N/A	Dry	Yes
BenVireo Calcium				4									<40° F	9.32	4% Ca with Amino Acids	Foliar	2.5	Liquid	Yes
BenVireo FoliSentials®	3	3											<40° F	10.1	Molasses, Beet Extract, Soy Protein	Foliar	6.91	Liquid	Yes
BenVireo Iron						2.3			4				<40° F	9.84	4% Fe with Amino Acids	Foliar	3.5	Liquid	Yes
BenVireo Magnesium					2	2.6							<40° F	9.41	2% Mg with Amino Acids	Foliar	3.6	Liquid	Yes
BenVireo Manganese						2.4				4			<40° F	9.57	4% Mn with Amino Acids	Foliar	2.8	Liquid	Yes
BenVireo Multus®					0.5	2.1				1		1	<40° F	9.40	Multiple Elements With Amino Acids	Foliar	2.9	Liquid	Yes
BenVireo Zinc						2						4	<40° F	9.45	4% Zn with Amino Acids	Foliar	3.6	Liquid	Yes
FOLI-GRO®																			
FOLI-GRO ACTION®	2	17	17						0.1	0.08	0.0005	0.15	<32° F	11.63	2-17-17 plus VERSATILE® VERDE (100% Orthophosphate)	Foliar, Irrigate, Soil	6.7	Liquid	No
FOLI-GRO BORON 10%							10						<32° F	11.06	Polyamine Boric Acid	Foliar, Soil	9	Liquid	No
FOLI-GRO CALCIUM 6%	5	0	0	6									<32° F	10.26	Calcium Nitrate	Foliar	2.5	Liquid	No
FOLI-GRO CA-ZN	5	0	0	5								2.5	<32° F	10.6	Calcium and Zinc Nitrate	Foliar	2.5	Liquid	No
FOLI-GRO HUMI-K®		26											<32° F	11.7	Pot Carb with 1.5% Humic Acid	Foliar, Irrigate, Soil	10.5	Liquid	No
FOLI-GRO IRON 5%						2			5				<32° F	9.7	Complexed Iron Sulfate	Foliar	2.3	Liquid	No
FOLI-GRO KAP®	3	20											<32° F	10.5	NDemand, potassium acetate and sea kelp (ascophyllum nodosum)	Foliar	8.25	Liquid	No
FOLI-GRO KILO®		24											<20° F	10.65	Potassium Acetate	Foliar, Soil	9.5	Liquid	No
FOLI-GRO MAGNESIUM 4%					4	5							<32° F	10.07	Epsom Salt with 0.4% Humic Acid	Foliar	8.2	Liquid	No
FOLI-GRO MANGANESE 5%						2				5			<32° F	9.84	Complexed with Lignosulfonate	Foliar	4	Liquid	No
FOLI-GRO MOLY-B-MAG	5				2.5	3.3	2.5				0.5		<32° F	10.17	Complexed Micronutrients	Foliar, Soil	4.2	Liquid	No
FOLI-GRO POLISH	5				5							2.50	<32° F	10.5	10% Zinc Citrate Complex	Foliar	2.8	Liquid	No
FOLI-GRO WESTERN MIX						4			2	2		4	<32° F	10.9	Complexed with Lignosulfonate	Foliar	4.5	Liquid	No
FOLI-GRO ZINC 7%						3						7	<32° F	10.3	Complexed with Lignosulfonate	Foliar	4	Liquid	Yes
FOLI-GRO ZBM 6-0-0	6						1.5				1.5	7	<32° F	11.2	Loaded micronutrient foliar with zinc, molybdenum and boron.	Foliar	8.75	Liquid	No
MAX SET®*																			
MAX SET 31*		31	28										<20° F	12.8	36% Phosphorous Acid Equivalent	Foliar	6.8	Liquid	No
MAX SET 85 PLUS*	3	44	33										N/A	N/A	29% Phosphorous Acid Equivalent	Foliar	4.5	Dry	No

*OR and WA do not recognize Phosphorous acid as a nutrient.

▶ BRANDED NUTRITIONALS

Product Name	N	P	K	Ca	Mg	S	B	Cu	Fe	Mn	Mo	Zn	Salt-Out	Density #/Gal	Comments	Preferred Application Method	pH	Physical State	Organic
MORA-LEAF®																			
MORA-LEAF HI-K	9	15	30			4	0.02	0.05	0.1	0.05	0.0005	0.05	N/A	N/A	100% Orthophosphate	Foliar	Acid	Dry	No
MORA-LEAF HI-P	10	45	10			4	0.02	0.05	0.1	0.05	0.0005	0.05	N/A	N/A	100% Orthophosphate	Foliar	Acid	Dry	No
MORA-LEAF MAX	12	26	26				0.02	0.05	0.1	0.05	0.0005	0.05	N/A	N/A	100% Orthophosphate	Foliar	Acid	Dry	No
MORA-LEAF P&K®		50	33										N/A	N/A	100% Orthophosphate	Foliar	Acid	Dry	No
MORA-LEAF PLUS	20	20	20				0.02	0.05	0.1	0.05	0.0005	0.05	N/A	N/A	100% Orthophosphate	Foliar	Acid	Dry	No
NDEMAND®																			
NDemand 30L	30												<32° F	10.5	60% Polymer Nitrogen	Foliar	9.8	Liquid	No
NDemand KILO®	11		16										<32° F	10.7	18% Polymer Nitrogen with Potassium Acetate	Foliar	9	Liquid	No
NDemand ENTOURAGE® K	11		16				0.25						<32° F	11.1	30% Polymer Nitrogen with Potassium Carbonate	Foliar	12	Liquid	No
NUTRIO®																			
NUTRIO BIOSOAK®			1										<32° F	8.5	Three-way product containing plant growth promoting rhizobacteria, PURIC and a soil surfactant	Irrigate	7.5	Liquid	No
NUTRIO UNLOCK®													<32° F	8.37	Plant growth promoting rhizobacteria	Irrigate, Soil	5.5	Liquid	Yes
PURIC®																			
PURIC			2										<32° F	8.9	12% Humic Acid - OMRI and CDFA certified organic	Foliar, Irrigate, Soil	11.8	Liquid	Yes
PURIC SALUTE®													<32° F	9.5	Calcium and Acid Compatible Humic Acid with 8% Humic Acid	Foliar, Irrigate, Soil	4.9	Liquid	No
PURIC WSG			12										<32° F	N/A	67% extracted humic acid granule with 100% solubility for immediate soil activity	Foliar, Irrigate, Soil	N/A	Dry	Yes
TILL-IT®																			
TILL-IT 707	7		7										>32	10.06	Contains 2.5% Humic Acid, kelp, NDemand and KILD technologies	Foliar, Irrigate, Soil	N/A	Liquid	No
TILL-IT BACKBONE® LIVE	6	21										0.3	<32° F	10.47	0.5% Humic Acid (30% Orthophosphate) + 1.2 million CFU of NUTRIO UNLOCK Microbes	Soil, Irrigate	6.5	Liquid	No
TILL-IT CONSTRUCT®	7	20										1	<20° F	10.35	1.7% Humic Acid	Foliar, Irrigate, Soil	6.6	Liquid	No
TILL-IT KOMPOUND®			19			6							<32° F	10.55	Potassium Thiosulfate (KTS) and Potassium Acetate mix with 6% Sulfur	Soil, Irrigate	7.5	Liquid	No
TILL-IT REKOIL			19			5							<32° F	10.79	Potassium Thiosulfate (KTS) and Potassium Carbonate mix with humic acid	Soil, Irrigate	8.5-9.5	Liquid	No



BRANDED CROP PROTECTION ACTIVES

For product labels, bulletins and SDS visit wilburellisagribusiness.com



ABIOTIC STRESS MANAGEMENT

Product	Positioning	Active Ingredient	Pounds of AE/AI	Major Crops	Formulation	Organic
CHILLAX®	CHILLAX is a flowable micronized dispersion of calcium carbonate designed for foliar applications and is recommended for use as a protectant against heat stress and sunburn.	Calcium carbonate	60% by weight	Agriculture, Greenhouse, and Nursery	Liquid	No

FUNGICIDE

Product	Positioning	Active Ingredient	Pounds of AE/AI	Major Crops (PM: Labeled For)	Disease Controlled	Formulation	Organic
BAJA®	BAJA is a FRAC 7, FRAC 9 systemic fungicide for grapes to control Powdery Mildew and Botrytis. BAJA consistently protects shoots and leaves and provides disease control on clusters to reduce Botrytis.	Fluopyram Pyrimethanil	1.04 3.12	Grapes	Botrytis, powdery mildew	Liquid	No
ROMEO CA	A preventive biofungicide that signals plants to produce compounds to control various plant pathogens.	Cerevisane	0.23 - 0.91	Multiple crops	Powdery and Downy Mildew, botrytis	WP	Yes
SONATA®	In conventional programs, use SONATA @ 2 qt/A alternated with sulfur, oils and DMI chemistries for contact activity and an Induced Systemic Resistance (ISR)/ plant health benefit. In organic programs, use SONATA @ 3 qt/A alternated with sulfur and oils for contact activity and an Induced Systemic Resistance (ISR)/ plant health benefit.	<i>Bacillus pumilus</i> Strain QST 2808	N/A	Grapes	Powdery mildew	Aqueous Suspension (ASO)	Yes
SPÄRRA®	SPÄRRA is the highest active ingredient loaded EPA registered phosphite in the market which provides broad-spectrum systemic fungicide-bactericide control of downy mildew, powdery mildew, <i>Pythium</i> , <i>Phytophthora</i> , and many other key diseases.	Mono- and dipotassium salts of Phosphorous Acid	7.60	Agricultural crops, greenhouse crops, turf and ornamentals, and conifers and other trees	Downy mildew, powdery mildew, <i>Pythium</i> , <i>Phytophthora</i> , and many other key diseases	Liquid	No

SULFUR

Product	Positioning (Do NOT Use when temps are above 90°F)	Active Ingredient	Average Micron Size	Package Size	Formulation	OMRI Approved
SPECIAL ELECTRIC® DUSTING SULFUR	A 98% dusting sulfur specially formulated to improve performance. It is a fine sulfur (95% min. passed no. 325 U.S.S. Sieve) and is non-lumping, free-flowing and excellent adherence to the plants.	98% Sulfur	34.2 Microns	50 lb bag	Dust	Yes
SULFUR DRY FLOWABLE	SULFUR DRY FLOWABLE is a dust-free, dry flowable sulfur in a granular form. The dry flowable fully disintegrates and easily disperses without formation of foam. It includes fine granules containing sulfur particles of 10 microns or less, and mixes easily in water without any special agitation. The sulfur particles are held in suspension as a dilute or concentrate spray for use by ground or aerial equipment. SULFUR DRY FLOWABLE's increased number of sulfur particles offers superior coverage, while its spreader-sticker qualities increase adherence to leaves and fruit and reduce wash-off by heavy rain. It has both Federal and California registrations as a fungicide and miticide on 51 crops.	80% Sulfur	3 Microns	30 lb bag	Dry Flowable	Yes
WILBUR-ELLIS DUSTING SULFUR	A 98% active sulfur dust formulation made from recovered sulfur. WILBUR-ELLIS DUSTING SULFUR has been ground and sized through a 325-mesh. This product has both federal and state registrations as a fungicide and miticide and is labeled on more than 50 crops.	98% Sulfur	34.2 Microns	50 lb bag	Dust	Yes
WIL-DRY®	WIL-DRY is a preventative sulfur and copper oxychloride sulfate dust fungicide that can be applied by ground or air in grapes to control bunch rot and powdery mildew.	25% Sulfur	4 Microns	50 lb bag	Dust or Powder	Yes

PLANT HEALTH PROMOTER

Product	Positioning	Active Ingredient	Pounds of AE/AI	Major Crops (PM: Labeled For)	Pests Controlled	Formulation
EMPLOY®	Employ is a biochemical plant health promoter, signals plant growth and pathogen response pathways that results in protection from disease, insects, and suppression of nematodes, improved fruit coloring and size in fruit trees, and increased overall yield in most crops.	Harpin α& Protein	2-4 oz/acre	Grapes and tree nuts	N/A	Dry

OILS

Product	General Information	Cautions	Rates
PureSpray® Green	PureSpray Green is a 435 distillation mid point paraffinic oil.	Spray tank and all lines must be free of any sulfur residue. Allow at least 15 days between oil and sulfur applications; can reduce up to 10 days for grapes. Do not spray water-stressed trees. Do not use when temps are above 90°F. If nighttime temps drop below 32°F do not spray until day temps are above 35°F. To test emulsifier use 200 mL of emulsifier in 8 mL of oil and shake for several minutes. The mixture should be white and creamy.	1-2 gal per acre. 2 gallons being a dormant application and 1 being summer.

UTILITY

Product	Positioning	Active Ingredient	Rates
PHYTO C3	PHYTO C3 is a breakthrough biocatalytic water conditioner utilizing a green biochemistry for superior cleaning performance of organic and inorganic fouling of emitters and lines.	89.5% Aqueous Solution of Fermentation Supernatant (Yeast Extracts) 9.5% Alcohols, C11 - 15 Secondary Ethoxylated (Nonionic Surfactant)	2-4 ppm of total water flow; 32 oz for one time clean out

▶ BRANDED ADJUVANTS

For product labels, bulletins and SDS
visit wilburellisagribusiness.com



Principal Functioning Agents %	Equivalent Functionality Of 8.5# AMS	Actual AMS
--------------------------------	--------------------------------------	------------

Product	Product Descriptions	Value Propositions	Principal Functioning Agents %	Equivalent Functionality Of 8.5# AMS	Actual AMS
ADVANCED WATER TECHNOLOGY					
AQUATE® MAX	AQUATE MAX is an advanced formulation of multiple soil surfactants, which include two hydration and two infiltration surfactants.	AQUATE MAX is an advanced formulation of multiple soil surfactants designed to provide excellent infiltration of both water and nutrients into the plant root zone. AQUATE MAX also combines proprietary hydration technology that improves the holding capacity of the soil, resulting in a significant reduction of water and/or nutrient loss below the root zone.	87.30%	N/A	N/A
DRT/DEPOSITION					
CROSSHAIR®	Microemulsion oil-based drift reduction adjuvant.	CROSSHAIR is designed for customers wanting to manage the physical drift of their spray material when making applications near and/or next to sensitive crops. With the use of CROSSHAIR, the applicator reduces the risk of off target crop injury and/or unacceptable crop contamination. It is formulated as an easy-to-use liquid that is generally poured into the spray solution tank mix last but can be used at any time during the application. CROSSHAIR is also very effective in helping deposit more spray droplets onto the plant tissue allowing for more active ingredients to hit the intended target. By delivering both drift reduction and deposition, CROSSHAIR has significant potential for reducing risk associated with spraying pesticides and is a great way to help deliver a positive return on the application investment.	100%	N/A	N/A
EFFICAX®	EFFICAX is a modified seed oil formulated to aid in the deposition of spray droplets.	EFFICAX utilizes proprietary technology and is designed for customers that want to optimize the residual activity from their pre-plant/pre-emergent chemistry. EFFICAX helps to increase the spray deposits of the spray material allowing for better coverage and adhesion to the soil particles, which results in enhanced control of early season weed pressures. EFFICAX is for labeled for use in agriculture, forestry, golf course, industrial, non-cropland, roadside, turf and ornamental.	100%	N/A	N/A
OIL					
HASTEN-EA®	HASTEN-EA is a modified vegetable oil developed as a penetrating/surfactant concentrate with excellent wetting and penetrating characteristics.	HASTEN-EA is patented ethylated seed oil formulation, making it a safer product to use on sensitive crops. HASTEN-EA is designed for customers using systemic spray materials that will benefit from excellent wetting and penetration, allowing the AI to move into and throughout the plant for higher efficacy. With its broad use in insecticides and fungicides, HASTEN-EA can be used in both concentrate or dilute applications for handling flexibility in spraying ground, air, backpack or chemigation.	100%	N/A	N/A
RENEGADE-EA®	RENEGADE-EA is a patented blend of methylated seed oil, UAN solution and nonionic surfactant.	RENEGADE-EA is a multifunctional blend for customers needing an oil with the added benefit of nitrogen and a surfactant. RENEGADE-EA is a patented microemulsion of a high-quality MSO at a higher concentration than most competitive products on the market, providing for better retention on a plant surface, and therefore lower use rates. The UAN in RENEGADE-EA provides just enough nitrogen to make the plant more receptive to absorption of the spray solution, creating better penetration of the leaf surface. The UAN and NIS help the plant continue to absorb the AI even after the spray droplet has dissipated. The nonionic surfactant reduces surface tension on the leaf surface, contributing to improved penetration of the AI deposit. With tank mixes becoming more complex, the microemulsion technology in RENEGADE-EA provides flexibility for use with multiple products, often saving growers time and money by reducing a pass through the field.	83.40%	N/A	N/A
SYL-TAC-EA®	SYL-TAC-EA is a premium ESO and silicone blend.	SYL-TAC-EA is a proprietary formulation designed for customers needing to move the AI into the plant efficiently along with providing excellent spreading and wetting of the spray material. The translaminar effect of SYL-TAC-EA provides the ability to move locally systemic spray materials from the top of the leaf, all the way through to target pests on the underside of the leaf. SYL-TAC-EA is the best choice for use with translaminar insecticides and fungicides, but can also be used with both contact and systemic herbicides. SYL-TAC-EA has excellent crop safety, making it the best choice for a variety of sensitive crops.	100%	N/A	N/A
SURFACTANT					
ANTERO-EA®	ANTERO-EA is a nonionic surfactant and organic polymer blend.	ANTERO-EA is a proprietary spreader and sticker that has excellent crop safety for sensitive crops. ANTERO-EA resists "wash-off," which helps retain your spray material on plant surfaces. Well-designed for use with contact fungicides and insecticides, ANTERO-EA can also be used with herbicides and has proven to work well with auxin-based chemistries, making it a flexible tool for the grower.	63%	N/A	N/A
EMBRECE-EA®	EMBRECE-EA is a high concentrated proprietary nonionic surfactant blend.	EMBRECE-EA is a proprietary blend of nonionic surfactants designed to increase the level of performance of fungicide and insecticide applications. Utilizing patent technology, EMBRECE-EA provides superior coverage of the spray material across the leaf surface, leading to better control of the targeted pest. EMBRECE-EA can be used in a variety of systemic and contact fungicide/insecticide applications.	78.9%	N/A	N/A
INFOLIUM-EA®	A high concentration, nonionic (NIS) adjuvant designed for optimal activation and penetration of pesticide(s) that is approved for use in organic production. Provides the best deposit composition to improve active ingredient coverage and absorption.	INFOLIUM-EA uses patented technology to improve spray efficacy and consistently has increased performance over standard surfactants. INFOLIUM-EA can be used with various spray applications that would benefit from efficiently moving the AI into the plant with consistent wetting and spreading for uniform coverage. Reducing the surface tension between the AI and the plant cuticle, INFOLIUM-EA increases absorption and translocation, moving the AI into the water channels of the leaf, resulting in better efficacy of the spray solution. INFOLIUM-EA provides uniform coverage of the spray droplets onto the plant tissue itself.	98%	N/A	N/A
R-11® SPREADER-ACTIVATOR	Spreader-Activator improves the activity and efficacy of the spray application by reducing surface tension and increasing penetration into the plant surface.	R-11 is designed for customer applications that require a nonionic surfactant to allow for quick wetting and uniform coverage of the spray material. The activator component has the potential to increase the absorption and translocation of systemic spray materials into water channels within plant tissue. R-11 is labeled for use with insecticides, fungicides, miticides, herbicides, defoliant, desiccants and plant growth regulators.	90%	N/A	N/A
SYL-COAT®	Premium silicone surfactant.	SYL-COAT is specifically designed for customer applications of various agricultural spray materials that would benefit from quick wetting and spreading for uniform coverage especially on difficult-to-wet plant surfaces. It increases the amount and rate of uptake of water-soluble herbicides, which allows for more consistent control of the targeted weed species. SYL-COAT improves the wetting of fungicides and insecticides and reduces overall surface tension of the spray material on plant surface.	100%	N/A	N/A

Surfactant Type	Surfactant Content	Oil Type	Oil Content	Water Conditioner Func.	Built-In Tank Mix Defoamer	Mineral Antagonism Tie-Up	pH Effect	DRT	Deposition	Spreader	Sticker	Enhances Uptake	Invert Emulsion Suspension	Macro Emulsion	Micro Emulsion	NPE Free	Mixing Caution	Aquatic	WA Only Aquatic	Organic	CPDA Certified	Signal Word	Product
ADVANCED WATER TECHNOLOGY																							
Blend of Anionic and Nonionic	Proprietary	N/A	N/A	No	No	No	No	No	No	Yes	No	No	No	No	No	Yes		No	No	No	No	Warning	AQUATE™ MAX
DRT/DEPOSITION																							
N/A		MSO	Proprietary	No	No	No	No	Air and Ground	Air and Ground	No	No	No	No	No	Yes	Yes	GoldSky® or water temperature below 34 degrees	Yes	No	No	Yes	Warning	CROSSHAIR®
N/A	N/A	MSO	Proprietary	No	No	No	No	No	Yes	No	No	No	No	No	Yes	Yes		No	No	No	No	Warning	EFFICAX®
OIL																							
Nonionic		ESO		No	No	No	No	No	No	Yes	No	Yes	No	No	No	Yes		Yes	Yes	No	Yes	None	HASTEN-EA®
Nonionic	19.45%	MSO	40.84	No	No	No	No	No	No	Yes	No	Yes	No	No	Yes	Yes		Yes	Yes	No	Yes	Warning	RENEGADE-EA®
Nonionic	40%	ESO	N/A	No	No	No	No	No	No	Yes	No	Yes	No	No	No	Yes		Yes	Yes	No	Yes	None	SYL-TAC-EA®
SURFACTANT																							
Nonionic	Proprietary	N/A	N/A	No	No	No	No	No	No	Yes	Yes	Yes	No	No	No	Yes		Yes	Yes	No	No	None	ANTERO-EA®
Nonionic	78.90%	N/A	N/A	No	No	No	No	No	No	Yes	No	Yes	No	No	No	Yes		Yes	Yes	No	No	None	EMBRECE-EA®
Nonionic	88%	N/A	N/A	No	Yes	No	No	No	No	Yes	No	Yes	No	No	No	Yes		Yes	Yes	OMRI	Yes	None	INFOLIUM-EA®
Nonionic	80%	N/A	N/A	No	No	No	No	No	No	Yes	No	Yes	No	No	No	No		Yes	No	No	Yes	Warning	R-11® SPREADER-ACTIVATOR
Nonionic	100%	N/A	N/A	No	No	No	No	No	No	Yes	No	Yes	No	No	No	Yes	Use Within 72 Hours	No	No	OMRI	No	Warning	SYL-COAT®

▶ BRANDED ADJUVANTS

For product labels, bulletins and SDS visit wilburellisagribusiness.com



Product	Product Descriptions	Value Propositions	Principal Functioning Agents %	Equivalent Functionality Of 8.5# AMS	Actual AMS
UTILITY					
FTF® DEFOAMER	Highly concentrated, high performance defoamer designed for controlling both entrained air and foam forming surface tension in agricultural spray.	FTF DEFOAMER is designed for customers needing to either eliminate existing foaming in a sprayer tank or prevent foam from forming during the filling and agitation process. It performs well with all agricultural chemicals and is especially effective on difficult-to-control foaming problems in agricultural spray mixes. FTF DEFOAMER is highly concentrated allowing for lower use rates per 100 gallons of spray solution.	29.53%	N/A	N/A
WATER QUALITY					
CAYUSE® PLUS	Combination of a surfactant plus a nitrogen source.	CAYUSE PLUS is designed for customer applications of postemergent herbicides in spray water that contains minerals antagonistic to the herbicides. It provides the convenience of an ammonium sulfate and surfactant combination package all in one container. The surfactant that is in CAYUSE PLUS is unique in terms of how well it works in both loaded and unloaded glyphosate herbicides. CAYUSE PLUS can increase the performance of various herbicides.	33.50%	2 qt /100	1.25#
CYNDER®	A water quality alternative to AMS plus a surfactant that works to enhance various herbicides, such as tank mixes that contain weak acid herbicides like glyphosate, allowing faster absorption of the herbicide for a quicker response.	CYNDER is a multifunctional adjuvant designed to aid in the effort of managing difficult-to-control weeds. CYNDER provides adequate conditioning of the spray mix solution along with buffering the pH to alleviate the antagonistic effects from hard water minerals. In addition to these features, CYNDER has an added benefit of a surfactant in the formulation, which allows for better wetting and spreading of the spray material onto the leaf surface. CYNDER helps to enhance the herbicidal activity on the target species and is ideal for use with most post-herbicide tank mixes, which include combination of products such as glyphosate and 2,4-D.	56.40%	4 pt /100	N/A
TRI-FOL®	Acidifying buffer—very good buffer for insecticides and fungicides. Note: Not labeled for copper fungicides.	TRI-FOL is for use in customer applications to lower spray water pH and prevent the breakdown of spray materials that can degrade and become less stable in high pH (above pH 7.0) water used for spraying. Utilizing organic acids in the formulation allows for safe use through spray equipment, alleviating any concerns related to corrosive materials. TRI-FOL can be used with most insecticides, fungicides and herbicides in an effort to help realize the greatest potential return on the application investment.	34%	N/A	N/A



Surfactant Type	Surfactant Content	Oil Type	Oil Content	Water Conditioner Func.	Built-In Tank Mix Defoamer	Mineral Antagonism Tie-Up	pH Effect	DRT	Deposition	Spreader	Sticker	Enhances Uptake	Invert Emulsion Suspension	Macro Emulsion	Micro Emulsion	NPE Free	Mixing Caution	Aquatic	WA Only Aquatic	Organic	CPDA Certified	Signal Word	Product
																							UTILITY
N/A	N/A	N/A	N/A	No	Yes	No	No	No	No	No	No	No	No	No	No	Yes	Highly concentrated	No	No	No	No	None	FTF® DEFOAMER
																							WATER QUALITY
Nonionic	7.84	N/A	N/A	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No	Yes		No	No	No	Yes	None	CAYUSE® PLUS
Anionic + Nonionic	21%	N/A	N/A	Yes	No	Yes	Acidifier	No	No	Yes	No	Yes	No	No	No	Yes		No	No	No	No	Warning	CYNDER®
N/A	N/A	N/A	N/A	Yes	No	No	Lowers	No	No	No	No	Yes	No	No	No	Yes		No	No	OMRI	No	None	TRI-FOL®



▶ CONTACTS



Bo Christy

Northern California Territory Manager
 (530) 458-5831
 bchristy@wilburellis.com


Brooks Craven

Southern California Territory Manager
 (559) 829-7368
 bcraven@wilburellis.com

Colusa	7254 Farinon Rd	95932
Dixon	1850 N 1st St PO Box 1027	95620
Healdsburg	160 Grant Ave	95448
Ord Bend	8168 County Rd 33	95943
St. Helena	975 Vintage Ave	94574
Twin Cities (Elk Grove)	4707 Twin Cities Rd	95758
Ukiah	201 Thomas Ave	95482
Willows	6504 County Rd 57 PO Box 1303	95988
Woodland	1785 E Beamer St PO Box 877	95776
Woodland South	38001 County Rd 27	95695
Yuba City	900 N George Washington	95993

El Nido	782 W Washington Rd	95317
Exeter	25244 Rd 204	93221
Helm	12550 S Colorado Ave PO Box 125	93627
Hughson	6800 E Whitmore Ave	95326
King City (Aerial)	999 Bitterwater Rd	93930
Manteca	13771 S Prescott Rd	95336
Salinas	1427 Abbott St	93901
Shafter	925 Golds Ave PO Box 939	93312
Soledad	32530 Silliman Rd	93960

DOWNLOAD
 THE
 WILBUR-ELLIS
 CALIFORNIA
 VITICULTURE
 TOOLKIT





TOGETHER,
BETTER

THE POWER OF WE®



WILBUR-ELLIS.

WilburEllisAgribusiness.com

NOT A COMPLETE LISTING. CHECK LABEL FOR A FULL LISTING. © 2024 Wilbur-Ellis Company LLC. This document is for information only and is not an offer to sell or buy any products or services. Prior to use, always read applicable labels, terms and conditions, and related documents for complete instructions, proper usage, and limitations. For information only. Not a label. Prior to use, always read and follow the product label WILBUR-ELLIS logo, The Power of We, ACTION, ANTERO-EA, BACKBONE, BAJA, BenVireo, BenVireo Botanic, BenVireo Multus, CAVUSE, CHILLAX, CROSSHAIR, CYNDER, EFFICAX, EMBRECE-EA, FOLI-GRO, FIF, HASTEN-EA, HUMI-K, INFOLLUM-EA, KAP KILO, MAY SET, MORA-LEAF, MORA-LEAF P&K, NDemand, NUTRIO, NUTRIO BIOSOAK, NUTRIO UNLOCK, PURIC, PURIC SALUTE, R-11, RENEGADE-EA, SPARRA, SPECIAL ELECTRIC, SUPER SPREAD, SYL-COAT, SYL-TAC-EA, TILL-TI, TILL-TI KOMPOUND, TRI-FOL, VERSATILE, and WIL-DRY are registered trademarks of Wilbur-Ellis Company LLC. SONATA is a registered trademark of Bayer Group. PureSpray is a registered trademark of Suncor Energy Inc. Employ is a registered trademark of Plant Health Care. K-340406